

EVERBUILD BATH & KITCHEN SEALANT

DECLARATION OF PERFORMANCE

No. 26503786

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	BATH / EASIBATH
2	INTENDED USE/S	Sealants for non-structural use in joints in buildings and pedestrian walkways - Part 3: Sealants for sanitary joints
3	MANUFACTURER:	Everbuild Building Products Ltd Site 41, Knowsthorpe Way, Cross Green Industrial Estate Leeds LS9 OSW
4	AUTHORISED REPRESENTATIVE:	N/A
5	SYSTEM/S OF AVCP:	3
6a	HARMONISED STANDARD:	EN15651-3:2012
-	Notified body/ies:	0074

Template for translation. Only for internal use

7 **DECLARED PERFORMANCE/S**

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Reaction to fire	Class E		
Loss of volume	≤ 55 %		
Resistance to flow	≤5 mm		
Tensile properties: Elongation at break at 23 °C	≥ 25 %		EN15651-
Microbiological growth	1		3:2012
Durability	Pass		
	· · · · · · · · · · · · · · · · · · ·		

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Paul Thomas

Function: Technical Product

Coordinator

At Leeds on 14 October 2020

Name: Emma Taylor

Function: Product Manager At Leeds on 14 October 2020

End of information as required by Regulation (EU) No 305/2011

Template for translation. Only for

internal use





DoP No. 26503786 EN15651-3:2012 Notified Body 0074 ants for non-structural use in joints in buildings and pedestrian walkways - Part 3: Sealants for sanitary j Reaction to fire Loss of volume Resistance to flow Tensile properties: Elongation at break at 23 °C Microbiological growth Durability Pass	Everbuild Buil	ding Products Ltd, Leeds, UK
Notified Body 0074 ants for non-structural use in joints in buildings and pedestrian walkways - Part 3: Sealants for sanitary j Reaction to fire Loss of volume ≤ 55 % Resistance to flow Tensile properties: Elongation at break at 23 °C Microbiological growth 1	Do	P No. 26503786
Reaction to fire Loss of volume Resistance to flow Tensile properties: Elongation at break at 23 °C Microbiological growth Class E ≤ 55 % ≥ 25 % Resistance to flow 1	E	:N15651-3:2012
Reaction to fire Loss of volume ≤ 55 % Resistance to flow ≤5 mm Tensile properties: Elongation at break at 23 °C Microbiological growth Class E ≤ 55 % ≥ 25 % 1	No	rtified Body 0074
Loss of volume≤ 55 %Resistance to flow≤5 mmTensile properties: Elongation at break at 23 °C≥ 25 %Microbiological growth1	ants for non-structural use in joints in buildin	gs and pedestrian walkways - Part 3: Sealants for sanitary
Loss of volume ≤ 55 % Resistance to flow ≤5 mm Tensile properties: Elongation at break at 23 °C Microbiological growth 1		
Resistance to flow ≤5 mm Tensile properties: ≥ 25 % Elongation at break at 23 °C 1 Microbiological growth 1	Reaction to fire	Class E
Tensile properties: Elongation at break at 23 °C Microbiological growth 1	Loss of volume	≤ 55 %
Elongation at break at 23 °C Microbiological growth 1	Resistance to flow	≤5 mm
		≥ 25 %
Durability Pass	Microbiological growth	1
	Durability	Pass

http://www.everbuild.co.uk/downloads/

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance BATH / EASIBATH 26503786 10/2020, ver. 02 1213

Template for translation. Only for internal use



